

WELCOME
TO



Pharmacy

Learn and Educate



Bachelor of Pharmacy Human Anatomy and Physiology II

NOTES

- ✓ Unit 1
 - ✓ Unit 2
 - ✓ Unit 3
 - ✓ Unit 4
 - ✓ Unit 5
- All Unit
in
One PDF**

Visit our Website
WWW.fdp pharmacy.in



Bachelor of Pharmacy Pathophysiology

NOTES

- ✓ Unit 1
 - ✓ Unit 2
 - ✓ Unit 3
 - ✓ Unit 4
 - ✓ Unit 5
- All Unit
in
One PDF**

Visit our Website
WWW.fdp pharmacy.in



Bachelor of Pharmacy Pharmaceutical Organic Chemistry I

NOTES

- ✓ Unit 1
 - ✓ Unit 2
 - ✓ Unit 3
 - ✓ Unit 4
 - ✓ Unit 5
- All Unit
in
One PDF**

Visit our Website
WWW.fdp pharmacy.in



Bachelor of Pharmacy Biochemistry

NOTES

- ✓ Unit 1
 - ✓ Unit 2
 - ✓ Unit 3
 - ✓ Unit 4
 - ✓ Unit 5
- All Unit
in
One PDF**

Visit our Website
WWW.fdp pharmacy.in



Bachelor of Pharmacy Computer Applications in Pharmacy

NOTES

- ✓ Unit 1
 - ✓ Unit 2
 - ✓ Unit 3
 - ✓ Unit 4
 - ✓ Unit 5
- All Unit
in
One PDF**

Visit our Website
WWW.fdp pharmacy.in



Bachelor of Pharmacy Environmental Sciences

NOTES

- ✓ Unit 1
 - ✓ Unit 2
 - ✓ Unit 3
 - ✓ Unit 4
 - ✓ Unit 5
- All Unit
in
One PDF**

Visit our Website
WWW.fdp pharmacy.in





FD Pharmacy

.....

D.Pharma B.Pharma



- 👉 PDF Notes
- 👉 Practical Manual
- 👉 Important Questions
- 👉 Assignment etc

 Download Now



www.fdp pharmacy.in


PHARMACEUTICAL ORGANIC CHEMISTRY – I

UNIT 3

TOPIC :

- **Alcohols***

Qualitative tests, Structure and uses of Ethyl alcohol, Methyl alcohol, chlorobutanol, Cetosteryl alcohol, Benzyl alcohol, Glycerol, Propylene glycol



Pharmacy
Learn and Educate

Alcohols

- Alcohols are organic compounds that contain one or more hydroxyl (-OH) groups attached to a saturated carbon atom (sp^3 hybridized). They are classified as:
 - Primary (1°) alcohol: -OH is attached to a carbon which is attached to one other carbon
 - Secondary (2°) alcohol: -OH is attached to a carbon which is attached to two other carbons
 - Tertiary (3°) alcohol: -OH is attached to a carbon which is attached to three other carbons

Qualitative Tests for Alcohols

Qualitative tests are **chemical reactions** used to:

- Detect the presence of alcohols in a compound.
- Distinguish between primary, secondary, and tertiary alcohols.

1. Ceric Ammonium Nitrate (CAN) Test

→ This is a color reaction test used to detect the presence of the alcohol functional group (-OH).

Reagent:

- Ceric ammonium nitrate solution (bright yellow)

Procedure:

- Add 1 mL of ceric ammonium nitrate solution to 1 mL of alcohol.

Observation:

- The solution turns yellow to red, indicating the presence of an alcohol.

Inference:

- Primary and secondary alcohols give a red color.
- Tertiary alcohols may give no or faint color change.

2. Lucas Test

→ This test is used to distinguish between primary, secondary, and tertiary alcohols based on the rate of formation of alkyl halides.

Reagent:

- Lucas reagent = Conc. HCl + Anhydrous ZnCl₂

Procedure:

- Mix 1 mL of alcohol with 2 mL of Lucas reagent in a test tube and shake.

Observation:

Type of Alcohol	Time	Observation
Tertiary (3°)	< 30 sec	Cloudy appearance immediately
Secondary (2°)	5-10 min	Cloudiness appears slowly
Primary (1°)	> 30 min	No visible change at room temp

Inference:

- The cloudy layer is due to formation of insoluble alkyl chloride.

3. Victor Meyer's Test

→ A chemical test to distinguish primary, secondary, and tertiary alcohols through color reactions after several steps.

Procedure (Summary of Steps):

- Alcohol → Iodoalkane (with red phosphorus + iodine)
- Iodoalkane → Nitroalkane (with AgNO₂)
- Treat with HNO₂ and NaOH

Observation :

Type of Alcohol	Color
Primary (1°)	Red
Secondary (2°)	Blue
Tertiary (3°)	Colorless


Ethyl Alcohol

- IUPAC Name: Ethanol
- Common Name: Ethyl Alcohol
- Molecular Formula: C_2H_5OH or CH_3CH_2OH
- Molecular Weight: 46.07 g/mol

Structure of Ethyl Alcohol

Ethyl alcohol contains:

- A two-carbon chain (ethane backbone)
- A hydroxyl group ($-OH$) attached to the terminal carbon.



Or condensed as:



- It is a **primary alcohol**, since the $-OH$ group is attached to a carbon bonded to **only one other carbon**.

Uses of Ethyl Alcohol

Pharmaceutical and Medical Uses

→ **Disinfectant & Antiseptic:**

- Used to disinfect skin, surgical instruments, and surfaces.
- Usually in 70% alcohol solution for maximum germicidal activity.

→ **Solvent:**

- Widely used as a solvent for drugs, tinctures, and extracts.
- Used in syrups, elixirs, and liniments.

→ **Preservative:**

- Prevents microbial growth in pharmaceutical preparations.

→ **Antidote for Methanol Poisoning:**

- Competitively inhibits alcohol dehydrogenase to prevent toxic methanol metabolism.

Industrial Uses

→ **Solvent in Chemical Industry:**

- Used for dissolving resins, dyes, oils, perfumes, and alkaloids.

→ **Fuel and Fuel Additive:**

- Used as biofuel or blended with petrol (gasohol) in internal combustion engines.

→ **Raw Material:**

- Used in the synthesis of esters, ethyl chloride, acetaldehyde, and other compounds.

Beverage Industry

→ **Alcoholic Beverages:**

- Main intoxicating ingredient in beer, wine, whisky, vodka, etc.
- Produced by fermentation of sugars using yeast.

Laboratory Uses

→ **Cleaning Agent:**

- Used to clean lab glassware, microscope lenses, etc.

→ **Reagent:**

- Used in organic reactions like esterification, dehydration, oxidation, etc.


Methyl Alcohol

- IUPAC Name: Methanol
- Common Name: Methyl alcohol / Wood alcohol
- Molecular Formula: CH_3OH
- Molecular Weight: 32.04 g/mol

Structure of Methyl Alcohol

Methyl alcohol consists of:

- A **single carbon atom** (from methane)
- Bonded to **three hydrogen atoms** and **one hydroxyl group (-OH)**



Or simply:
 $\text{CH}_3\text{-OH}$

- It is the **simplest primary alcohol**, as the -OH is attached to a carbon bonded to only hydrogen atoms.

Uses of Methyl Alcohol

Industrial Uses

→ **Solvent:**

- Used to dissolve oils, resins, dyes, inks, and adhesives.
- Acts as a solvent in varnishes, paint removers, and antifreeze.

→ **Fuel and Fuel Additive:**

- Used as an industrial fuel, and in blended fuels (e.g., methanol + petrol).
- Also used in race cars and camping stoves.

→ **Production of Chemicals:**

- Used in the manufacture of:
 - Formaldehyde
 - Acetic acid
 - Methyl chloride
 - Methyl esters
 - Methylated spirit (denatured alcohol)

Laboratory and Pharmaceutical Uses

→ **Laboratory Reagent:**

- Used as a solvent and cleaning agent for lab glassware and instruments.

→ **Disinfectant Base:**

- Used in surface sterilization, though less preferred than ethanol due to toxicity.

→ **Preservative:**

- Used to preserve biological specimens and as a fixative in histology.

Miscellaneous Uses

→ **Windshield Washer Fluids and Antifreeze:**

- Added to automotive products to prevent freezing in cold climates.

→ **Methylated Spirit:**

- Used as denatured alcohol (ethanol + methanol) to prevent human consumption.


Chlorobutanol

- IUPAC Name: 1,1,1-Trichloro-2-methyl-2-propanol
- Common Name: Chlorobutanol
- Molecular Formula: $C_4H_7Cl_3O$
- Molecular Weight: 177.46 g/mol

Structure of Chlorobutanol

Chlorobutanol is a **halogenated tertiary alcohol**, derived from butanol, where:

- Three chlorine atoms are attached to the **same carbon atom** (trichloromethyl group)
- The hydroxyl group ($-OH$) is on a **tertiary carbon**



Uses of Chlorobutanol

Pharmaceutical Uses

→ Preservative:

- Used as a preservative in ophthalmic (eye drops), injectable, and oral pharmaceutical preparations.
- Effective against bacteria and fungi.

→ Sedative and Hypnotic:

- Exhibits mild sedative and hypnotic properties.
- Previously used in formulations for insomnia and anxiety, but largely replaced by safer alternatives.

→ **Local Anesthetic:**

- Has local anesthetic action (mild) and is used in topical preparations.

→ **Antimicrobial Agent:**

- Effective against Gram-positive and Gram-negative bacteria.

Industrial and Cosmetic Uses

→ **Cosmetics and Toiletries:**

- Sometimes used as a preservative in cosmetics like creams and lotions.

→ **Veterinary Medicine:**

- Used in veterinary ophthalmic solutions as a preservative and antiseptic.

Pharmacy
Learn and Educate

Cetostearyl Alcohol

→ Other Names:


- Ceto-Stearyl Alcohol
- C₁₆-C₁₈ Fatty Alcohol Mixture
- Cetanol and Stearyl Alcohol mixture

→ Molecular Formula: Mixture of C₁₆H₃₄O (Cetyl alcohol) and C₁₈H₃₈O (Stearyl alcohol)

→ Molecular Weight: Varies with ratio; average ~250-270 g/mol

Structure of Cetostearyl Alcohol

Cetostearyl alcohol is **not a single compound**, but a **mixture** of two high molecular weight fatty alcohols:



Uses of Cetostearyl Alcohol

Pharmaceutical Uses

→ **Emulsifying Agent:**

- Used in ointments and creams as a non-ionic emulsifier.
- Helps stabilize oil-in-water (O/W) and water-in-oil (W/O) emulsions.

→ **Consistency Agent (Stiffening Agent):**

- Provides body, texture, and stability to semi-solid formulations like ointments, lotions, and pastes.

→ **Solvent Base:**

- Used in topical drug formulations as a base or carrier.

→ **Skin Protectant:**

- Mild emollient action; protects skin from dryness and irritation.

Cosmetic Uses

→ **Thickening Agent in Creams and Lotions:**

- Adds rich texture to moisturizers, hair conditioners, and body creams.

→ **Emollient:**

- Softens and smoothens skin by forming a moisture-retaining barrier.

→ **Opacifier:**

- Makes products look white and creamy by scattering light.

Industrial Uses

→ **Lubricants and Polishes:**

- Used in wax formulations for lubricants, polishes, and coatings.


Benzyl alcohol

- IUPAC Name: Phenylmethanol
- Common Name: Benzyl Alcohol
- Molecular Formula: $C_6H_5CH_2OH$
- Molecular Weight: 108.14 g/mol

Structure of Benzyl Alcohol

Benzyl alcohol consists of:

- A **benzene ring** (C_6H_5-)
- Attached to a $-CH_2OH$ group (hydroxymethyl group)



Uses of Benzyl Alcohol

Pharmaceutical Uses

→ **Preservative in Injectable Solutions:**

- Used as a bacteriostatic preservative in multi-dose vials of injectables.

→ **Solvent for Active Pharmaceutical Ingredients (APIs):**

- Helps dissolve poorly water-soluble drugs in parenteral and topical preparations.

→ **Local Anesthetic:**

- Has mild local anesthetic action—used in topical pain-relief products.

→ **Component in Ointments and Lotions:**

- Used as a co-solvent and antimicrobial agent in skin preparations.

Cosmetic and Personal Care Uses

→ **Fragrance Fixative:**

- Used in perfumes and cosmetics to stabilize and fix fragrance.

→ **Solvent in Lotions and Creams:**

- Helps dissolve fragrance ingredients and actives in cosmetic formulations.

→ **Hair Products:**

- Included in shampoos and conditioners for fragrance and solvent properties.

Industrial Uses

→ **Paints and Coatings:**

- Used as a solvent in inks, lacquers, and coatings.

→ **Photographic Developers:**

- Acts as a component in photographic chemicals.

→ **Plasticizers and Epoxy Resins:**


- Used as a solvent or additive in plastic manufacturing.

Glycerol

- IUPAC Name: Propane-1,2,3-triol
- Common Name: Glycerol or Glycerin
- Molecular Formula: $C_3H_8O_3$
- Molecular Weight: 92.09 g/mol

Structure of Glycerol

Glycerol is a **triol**, meaning it contains **three hydroxyl (-OH) groups**, one on each carbon of a propane chain.



Uses of Glycerol

Pharmaceutical Uses

→ **Humectant:**

- Retains moisture in creams, ointments, suppositories, and oral formulations.

→ **Solvent:**

- Used to dissolve drugs that are not water-soluble (e.g., tinctures, elixirs).

→ **Laxative:**

- Glycerin suppositories or enemas act as mild hyperosmotic laxatives.

→ **Emollient:**

- Soothes and softens dry or irritated skin.

→ **Preservative:**

- Inhibits microbial growth by reducing water activity in oral and topical preparations.

→ **Vehicle in Syrups:**

- Non-toxic and sweet-tasting, used as a vehicle or sweetening agent.

Cosmetic and Personal Care Uses

→ **Skin Care Products:**

- Common in moisturizers, lotions, creams as it hydrates and protects skin.

→ **Hair Care Products:**

- Used in shampoos, conditioners, and serums to prevent dryness and improve texture.

Food Industry

→ **Sweetener and Humectant:**

- Used in low-fat foods, icing, candies, and soft drinks.

→ **Food Preservative:**

- Helps extend shelf life by preventing microbial growth.

Industrial Uses

→ **Explosives Manufacture:**

- Used to prepare nitroglycerin, a key component in dynamite.

→ **Antifreeze and Lubricant:**

- Used in coolants, brake fluids, and plasticizers.

→ **Printing and Paint Industry:**

- Acts as a solvent and plasticizer in inks and paints.


Learn and Educate

Propylene Glycol

- IUPAC Name: Propane-1,2-diol
- Common Name: Propylene Glycol
- Molecular Formula: $C_3H_8O_2$
- Molecular Weight: 76.09 g/mol

Structure of Propylene Glycol

Propylene glycol is a **dihydric alcohol** (diol), meaning it contains **two hydroxyl (-OH) groups** on adjacent carbon atoms in a three-carbon propane backbone.



Uses of Propylene Glycol

Pharmaceutical Uses

- **Solvent:**
 - Used as a solvent and co-solvent for oral, injectable, and topical formulations.
- **Humectant:**
 - Retains moisture in ointments, creams, and lotions to prevent drying.
- **Preservative Enhancer:**
 - Enhances antimicrobial preservative activity in liquid dosage forms.
- **Plasticizer in Suppositories:**
 - Improves consistency and softening behavior of glycerogelatin bases.
- **Excipient in Tablets:**

- Acts as a wetting agent and stabilizer.

Cosmetic and Personal Care Uses

→ **Moisturizer:**

- Used in skin creams, lotions, shampoos, and makeup products for its hydrating property.

→ **Solvent for Fragrances and Dyes:**

- Helps dissolve colors, perfumes, and active ingredients.

→ **Non-irritant Base:**

- Used in baby products and sensitive-skin formulations due to its mildness.

Food and Beverage Uses

→ **Food Additive (E1520):**

- Used as a carrier solvent for flavors, colors, and preservatives.

→ **Humectant and Stabilizer:**

- Keeps food products moist and shelf-stable, especially in baked goods and icings.

Industrial Uses

→ **Antifreeze and Coolants:**

- Used in non-toxic antifreeze formulations (e.g., in HVAC systems and RVs).

→ **De-icing Fluids:**

- Main component in aircraft de-icing and anti-icing solutions.

→ **Plasticizer and Hydraulic Fluids:**

- Used in brake fluids, printing inks, and hydraulic systems.